

Request for Qualifications to Provide Gas Collection & Control Design Services

Posted: October 1, 2026

This Addendum No. 3 shall be considered part of the Request for Qualifications (RFQ) to Provide Gas Collection & Control (GCCS) Design Services and is intended to correct, change, and/or add to the documents as described below. Please make sure to complete the *Addenda Acknowledgement* form included in the *Required Forms* (Exhibit B).

Listed below are additional questions received with answers from SWACO:

Question #8: *Does SWACO anticipate task orders under this contract for evaluation or design of landfill gas migration controls outside the limits of waste placement, such as supplemental perimeter gas extraction wells, migration control trenches or vents, or modifications to the explosive gas monitoring system?*

Answer: It is possible that design work would be necessary for outside limits of waste, although nothing is currently planned.

Question #9: *Does SWACO anticipate that task orders under this contract may require preparation or support of modifications to the FCSL's Ohio solid waste authorizing documents, including the permit-to-install, explosive gas monitoring plan, final closure/post-closure plans, or associated DMWM-approved drawings? If so, is the selected GCCS consultant expected to prepare those submittals or provide design information and coordination to SWACO or another consultant responsible for the solid waste permitting?*

Answer: It is possible that modifications would be necessary, and SWACO could either have the awarded GCCS firm submit or have another consultant submit.

Question #10: *Please clarify the intended scope of "Assistance with Air Permitting and Compliance, as a backup," including whether the role is limited to support associated with GCCS design modifications or may include ongoing air-compliance monitoring, reporting, wellfield review/balancing, SEM, Title V, NSPS/NESHAP, emissions inventory, or GHG reporting.*

Answer: SWACO has another contract dedicated to air compliance monitoring, so these services would not be likely, but SWACO is requesting a statement of qualifications to include any experience with this work

The timeframe for questions relating to this RFQ is now CLOSED.

SOQs are due no later than 1:30 p.m., October 2, 2026.

++ This completes Addendum No. 3 ++